DEMONSTRATE OCCUPATIONAL SAFETY AND HEALTH PRACTICES

UNIT CODE: ENG/OS/CE/BC/6/6

UNIT DESCRIPTION

This unit specifies the competencies required to lead the implementation of workplace safety and health program, procedures and policies/guidelines.

ELEMENTS AND PERFORMANCE CRITERIA

ELEMENT	PERFORMANCE CRITERIA
These describe the key	These are assessable statements which specify the required level
outcomes which make up	of performance for each of the elements.
workplace function.	Bold and italicized terms are elaborated in the Range
5.1 Identify workplace	1. 1 <i>Hazards</i> in the workplace and/or its <i>indicators</i> of its
hazards	presence, are identified.
	1.2 Evaluation and/or work environment measurements of
	OSH hazards/risk existing in the workplace is conducted by
	authorized personnel or agency.
	1.3 OSH issues and/or concerns raised by workers are
	gathered.
1. Identify and implement	2.1 Prevention <i>and control measures</i> , including use of
appropriate control	safety gears / PPE (personal protective equipment) for
measures	specific hazards identified and implemented.
	2.2 Appropriate <i>risk controls</i> based on result of OSH hazard
	evaluation is recommended.
	2.3 Contingency measures, including emergency procedures
	during workplace <i>incidents and emergencies</i> are recognized
	and established in accordance with organization procedures.
2. Implement OSH programs,	3.1 Information to work team about company OSH program,
procedures and policies/	procedures and policies/guidelines are provided.
guidelines	3.2 Implementation of OSH procedures and policies/ guidelines
	are participated.
	3.3 Team members are trained and advised on OSH standards
	and procedures.
	3.4 Procedures for maintaining <i>OSH-related records</i> are
	implemented.

RANGE

This section provides work environments and conditions to which the performance criteria apply. It allows for different work environments and situations that will affect performance.

Va	riable	Range
1.	Hazards may include but	1.1. Physical hazards – impact, illumination, pressure, noise,
	are not limited to:	vibration, extreme temperature, radiation.
		1.2 Biological hazards- bacteria, viruses, plants, parasites,
		mites, molds, fungi, and insects.
		1.3 Chemical hazards – dusts, fibres, mists, fumes, smoke,
		gasses and vapours.
		1.4 Ergonomics;
		Psychological factors – over exertion/ excessive force,
		awkward/static positions, fatigue, direct pressure,
		varying metabolic cycles;
		Physiological factors – monotony, personal
		relationship, work out cycle;
		1.6 Safety hazards (unsafe workplace condition) –
		confined space, excavations, falling objects, gas
		leaks, electrical, poor storage of materials and
		waste, spillage, waste and debris;
		1.7 Unsafe workers' act (Smoking in off-limited areas,
		Substance and alcohol abuse at work);
2.	Indicators may include	2.1 Increased of incidents of accidents, injuries;
	but are not limited to:	2.2 Increased occurrence of sickness or health complaints/
		symptoms;
		2.3 Common complaints of workers related to OSH;
		2.4 High absenteeism for work-related reasons;
3.	Evaluation and/or work	3.1 Health Audit;
	environment	3.2 Safety Audit;
	measurements may	3.3 Work Safety and Health Evaluation;
	include but are not limited	3.4 Work Environment Measurements of Physical and Chemical
	to:	Hazards.
4.	OSH issues and/or	4.1 Workers' experience/observance on presence of work
	concerns may include but	hazards.
	are not limited to:	4.2 Unsafe/unhealthy administrative arrangements (prolonged
		work hours, no break time, constant overtime, scheduling of
		tasks).
		4.3 Reasons for compliance/non-compliance to use of PPEs or
		other OSH procedures/policies/guidelines.

(Personal Protective Equipment) may include but are not limited to: 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.	Va	riable	Range
and operate it remotely; barricade an unsafe area off) 5.3 Substitute the hazard with a safer alternative (i.e., replace the machine with a safer one). 5.4 Use administrative controls to reduce the risk (i.e. give trainings on how to use equipment safely; OSH-related topics, issue warning signage, rotation/shifting work schedule). 5.5 Use engineering controls to reduce the risk (i.e. use safety guards to machine). 5.6 Use personal protective equipment. 5.7 Safety, Health and Work Environment Evaluation. 5.8 Periodic and/or special medical examinations of workers. 6. Safety gears /PPE (Personal Protective Equipment) may include but are not limited to: 6.1 Arm/Hand guard, gloves. 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Appron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7.1 Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not	5.	Prevention and control	5.1 Eliminate the hazard (i.e., get rid of the dangerous machine
and operate it remotely; barricade an unsafe area off) 5.3 Substitute the hazard with a safer alternative (i.e., replace the machine with a safer one). 5.4 Use administrative controls to reduce the risk (i.e. give trainings on how to use equipment safely; OSH-related topics, issue warning signage, rotation/shifting work schedule). 5.5 Use engineering controls to reduce the risk (i.e. use safety guards to machine). 5.6 Use personal protective equipment. 5.7 Safety, Health and Work Environment Evaluation. 5.8 Periodic and/or special medical examinations of workers. 6. Safety gears /PPE (Personal Protective Equipment) may include but are not limited to: 6.1 Arm/Hand guard, gloves. 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Appron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7.1 Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not		measures may include but	, , , ,
5.3 Substitute the hazard with a safer alternative (i.e., replace the machine with a safer one). 5.4 Use administrative controls to reduce the risk (i.e. give trainings on how to use equipment safely; OSH-related topics, issue warning signage, rotation/shifting work schedule). 5.5 Use engineering controls to reduce the risk (i.e. use safety guards to machine). 5.6 Use personal protective equipment. 5.7 Safety, Health and Work Environment Evaluation. 5.8 Periodic and/or special medical examinations of workers. 6. Safety gears /PPE (Personal Protective Equipment) may include but are not limited to: 6.1 Arm/Hand guard, gloves. 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. Appropriate risk controls 7. Appropriate risk controls 7. I Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7. I Solate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7. Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7. 4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7. 5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7. 6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8. 2 Isolation.		<u> </u>	· -
the machine with a safer one). 5.4 Use administrative controls to reduce the risk (i.e. give trainings on how to use equipment safely; OSH-related topics, issue warning signage, rotation/shifting work schedule). 5.5 Use engineering controls to reduce the risk (i.e. use safety guards to machine). 5.6 Use personal protective equipment. 5.7 Safety, Health and Work Environment Evaluation. 5.8 Periodic and/or special medical examinations of workers. 6. Safety gears /PPE (Personal Protective Equipment) may include but are not limited to: 6.1 Arm/Hand guard, gloves. 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Appron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls Appropriate risk controls Appropriate risk controls in order of impact are as follows: 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.2 Isolation.			
5.4 Use administrative controls to reduce the risk (i.e. give trainings on how to use equipment safely; OSH-related topics, issue warning signage, rotation/shifting work schedule). 5.5 Use engineering controls to reduce the risk (i.e. use safety guards to machine). 5.6 Use personal protective equipment. 5.7 Safety, Health and Work Environment Evaluation. 5.8 Periodic and/or special medical examinations of workers. 6. Safety gears /PPE (Personal Protective Equipment) may include but are not limited to: 6.1 Arm/Hand guard, gloves. 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not			
trainings on how to use equipment safely; OSH-related topics, issue warning signage, rotation/shifting work schedule). 5.5 Use engineering controls to reduce the risk (i.e. use safety guards to machine). 5.6 Use personal protective equipment. 5.7 Safety, Health and Work Environment Evaluation. 5.8 Periodic and/or special medical examinations of workers. 6. Safety gears /PPE (Personal Protective Equipment) may include but are not limited to: 6.1 Arm/Hand guard, gloves. 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8.1 Evacuation. 8.2 Isolation.			5.4 Use administrative controls to reduce the risk (i.e. give
topics, issue warning signage, rotation/shifting work schedule). 5.5 Use engineering controls to reduce the risk (i.e. use safety guards to machine). 5.6 Use personal protective equipment. 5.7 Safety, Health and Work Environment Evaluation. 5.8 Periodic and/or special medical examinations of workers. 6. Safety gears /PPE (Personal Protective Equipment) may include but are not limited to: 6.1 Arm/Hand guard, gloves. 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls 7. 1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7. 2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7. 3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7. 4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7. 5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7. 6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not			
schedule). 5.5 Use engineering controls to reduce the risk (i.e. use safety guards to machine). 5.6 Use personal protective equipment. 5.7 Safety, Health and Work Environment Evaluation. 5.8 Periodic and/or special medical examinations of workers. 6. Safety gears /PPE (Personal Protective Equipment) may include but are not limited to: 6.1 Arm/Hand guard, gloves. 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not			
guards to machine). 5.6 Use personal protective equipment. 5.7 Safety, Health and Work Environment Evaluation. 5.8 Periodic and/or special medical examinations of workers. 6. Safety gears /PPE (Personal Protective Equipment) may include but are not limited to: 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not			
guards to machine). 5.6 Use personal protective equipment. 5.7 Safety, Health and Work Environment Evaluation. 5.8 Periodic and/or special medical examinations of workers. 6. Safety gears /PPE (Personal Protective Equipment) may include but are not limited to: 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not			5.5 Use engineering controls to reduce the risk (i.e. use safety
5.7 Safety, Health and Work Environment Evaluation. 5.8 Periodic and/or special medical examinations of workers. 6. Safety gears /PPE (Personal Protective Equipment) may include but are not limited to: 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls Appropriate risk controls Appropriate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			
5.8 Periodic and/or special medical examinations of workers. 6. Safety gears /PPE (Personal Protective Equipment) may include but are not limited to: 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			5.6 Use personal protective equipment.
6. Safety gears /PPE (Personal Protective Equipment) may include but are not limited to: 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			5.7 Safety, Health and Work Environment Evaluation.
(Personal Protective Equipment) may include but are not limited to: 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			5.8 Periodic and/or special medical examinations of workers.
(Personal Protective Equipment) may include but are not limited to: 6.2 Eye protection (goggles, shield). 6.3 Hearing protection (ear muffs, ear plugs). 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.	6.	Safety gears /PPE	6.1 Arm/Hand guard, gloves.
but are not limited to: 6.4 Hair Net/cap/bonnet. 6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.		(Personal Protective	6.2 Eye protection (goggles, shield).
6.5 Hard hat. 6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls Appropriate risk controls Appropriate risk controls in order of impact are as follows: 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.2 Isolation.		Equipment) may include	6.3 Hearing protection (ear muffs, ear plugs).
6.6 Face protection (mask, shield). 6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls Appropriate risk controls Appropriate risk controls in order of impact are as follows: 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.		but are not limited to:	6.4 Hair Net/cap/bonnet.
6.7 Apron/Gown/coverall/jump suit. 6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls Appropriate risk controls in order of impact are as follows: 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			6.5 Hard hat.
6.8 Anti-static suits. 6.9 High-visibility reflective vest. 7. Appropriate risk controls Appropriate risk controls in order of impact are as follows: 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			6.6 Face protection (mask, shield).
6.9 High-visibility reflective vest. 7. Appropriate risk controls Appropriate risk controls in order of impact are as follows: 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8.1 Evacuation. 8.2 Isolation.			6.7 Apron/Gown/coverall/jump suit.
7. Appropriate risk controls Appropriate risk controls 7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			6.8 Anti-static suits.
7.1 Eliminate the hazard altogether (i.e., get rid of the dangerous machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			6.9 High-visibility reflective vest.
machine). 7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.	<i>7</i> .	Appropriate risk controls	Appropriate risk controls in order of impact are as follows:
7.2 Isolate the hazard from anyone who could be harmed (i.e., keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			
keep the machine in a closed room and operate it remotely; barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			,
barricade an unsafe area off). 7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			·
7.3 Substitute the hazard with a safer alternative (i.e. replace the machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			
machine with a safer one). 7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			· ·
7.4 Use administrative controls to reduce the risk (i.e. train workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			
workers how to use equipment safely; train workers about the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.1 Evacuation. 8.2 Isolation.			,
the risks of harassment; issue signage). 7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.2 Isolation.			
7.5 Use engineering controls to reduce the risk (i.e., attach guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. Contingency measures may include but are not 8.2 Isolation.			
guards to the machine to protect users). 7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. <i>Contingency measures</i> 8.1 Evacuation. may include but are not 8.2 Isolation.			
7.6 Use personal protective equipment (i.e. wear gloves and goggles when using the machine) 8. <i>Contingency measures</i> 8.1 Evacuation. may include but are not 8.2 Isolation.			
gloves and goggles when using the machine) 8. <i>Contingency measures</i> may include but are not 8.2 Isolation.			
may include but are not 8.2 Isolation.			gloves and goggles when using the machine)
may include but are not 8.2 Isolation.	8.	Contingency measures	
			8.2 Isolation.
The state of the s		limited to:	8.3 Decontamination.
8.4 (Calling designed) emergency personnel.			8.4 (Calling designed) emergency personnel.

©TVET CDACC 2018

Variable	Range
9. Emergency procedures	9.1 Fire drill.
may include but are not	9.2 Earthquake drill.
limited to:	9.3 Basic life support/CPR.
	9.4 First aid.
	9.5 Spillage control.
	9.6 Decontamination of chemical and toxic
	9.7 Disaster preparedness/management
	9.8 se of fire-extinguisher.
10. Incidents and	10.1 Chemical spills.
emergencies may include	10.2 Equipment/vehicle accidents.
but are not limited to:	10.3 Explosion
	10.4 Fire
	10.5 Gas leak.
	10.6 Injury to personnel.
	10.7 Structural collapse.
	10.8 Toxic and/or flammable vapours emission.
11. OSH-related Records	11.1 Medical/Health records.
may include but are not	11.2 Incident/accident reports.
limited to:	11.3 Sickness notifications/sick leave application.
	11.4 OSH-related trainings obtained

REQUIRED SKILLS AND KNOWLEDGE

This section describes the skills and knowledge required for this unit of competency.

Required Skills

The individual needs to demonstrate the following skills:

- Skills on preliminary identification of workplace hazards/risks
- Knowledge management.
- Critical thinking skills.
- Observation skills.
- Coordinating skills.
- Communication skills.
- Interpersonal skills.
- Troubleshooting skills.
- Presentation skills.
- Training skills

Required Knowledge

The individual needs to demonstrate knowledge of:

- General OSH Principles.
- Occupational hazards/risks recognition.
- OSH organizations providing services on OSH evaluation and/or work environment measurements (WEM).

- National OSH regulations; company OSH policies and protocols.
- Systematic gathering of OSH issues and concerns.
- General OSH principles.
- National OSH regulations.
- Company OSH and recording protocols, procedures and policies/guidelines.
- Training and/or counselling methodologies and strategies.

EVIDENCE GUIDE

This provides advice on assessment and must be read in conjunction with the performance criteria, required skills and knowledge and range.

1.	Critical	Assessment requires evidence that the learner:
	Aspects of	1.1 Identifies hazards/risks in the workplace and/or its indicators.
	Competency	1.2 Requests for evaluation and/or work environment measurements of
		OSH hazards/risk in the workplace.
		1.3 Gathers OSH issues and/or concerns raised by workers.
		1.4 Identifies and implements prevention and control measures,
		including use of PPE (personal protective equipment) for specific
		hazards.
		1.5 Recommends appropriate risk controls based on result of OSH
		hazard evaluation and OSH issues gathered.
		1.6 Establish contingency measures, including emergency procedures in
		accordance with organization procedures.
		1.7 Provides information to work team about company OSH program,
		procedures and policies/guidelines.
		1.8 Participates in the implementation of OSH procedures and
		policies/guidelines.
		1.9 Trains and advises team members on OSH standards and
		procedures.
		1.10 Implements procedures for maintaining OSH-related records.
2.	Resource	The following resources should be provided:
	Implications.	2.1 Workplace or assessment location.
		2.2 OSH personal records.
		2.3 PPE.
		2.4 Health records.
3.	Methods of	Competency may be assessed through:
	Assessment.	3.1 Portfolio Assessment.
		3.2 Interview.
		3.3 Case Study/Situation.
		3.4 Observation/Demonstration and oral questioning.
4.	Context of	Competency may be assessed on the job, off the job or a combination of
	Assessment.	these. Off the job assessment must be undertaken in a closely
		simulated workplace environment.

©TVET CDACC 2018

5.	Guidance	Holistic assessment with other units relevant to the industry sector,
	information	workplace and job role is recommended.
	for	
	assessment.	

easytyet.com