

2705/201 2709/201
2707/201 2710/201
**MATHEMATICS II
AND SURVEYING II**
June/July 2019
Time: 3 hours



THE KENYA NATIONAL EXAMINATIONS COUNCIL

**DIPLOMA IN BUILDING CONSTRUCTION
DIPLOMA IN CIVIL ENGINEERING
DIPLOMA IN ARCHITECTURE**

MODULE II

MATHEMATICS II AND SURVEYING II

3 hours

INSTRUCTIONS TO CANDIDATES

You should have the following for this examination:

Answer booklet;

Non-programmable electronic calculator;

Drawing instruments.

This paper consists of EIGHT questions in TWO sections: A and B.

Answer FIVE questions choosing at least TWO questions from each section.

All questions carry equal marks.

Maximum marks for each part of a question are indicated.

Candidates should answer the questions in English.



This paper consists of 4 printed pages.

Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.

SECTION A: MATHEMATICS II

Answer at least **TWO** questions from this section.

1. (a) Prove the following hyperbolic identities:
- (i) $\text{Cosh}^2 x - \text{Sinh}^2 x = 1$ (4 marks)
- (ii) $\text{Sinh}^{-1} x = \ln \{x + \sqrt{1+x^2}\}$ (7 marks)
- (b) Find the area under the curve defined parametrically by $x = 6(\theta - \text{Sin}\theta)$ and $y = 6(1 - \text{Cos}\theta)$ between $\theta = 0$ and $\theta = 2\pi$. (9 marks)
2. (a) Use Taylor's Theorem to expand $f(x) = 2x^{\frac{5}{2}} - 1$ in ascending powers of $x - 1$ up to the term in $(x - 1)^3$, hence evaluate $f(1.5)$ correct to four decimal places. (10 marks)
- (b) If $Z^3 = 4 - 3j$ find Z in the form $a + jb$. (10 marks)
3. (a) Given that $x^2 y - x^3 y^3 + 2 = 0$, evaluate $\frac{dy}{dx}$ at point $p(1, 2)$. (6 marks)
- (b) Use the Maclaurin series to expand the function $f(x) = xe^{2x}$ up to the term in x^4 , hence evaluate:
- $$\int_0^1 xf(x)dx$$
- correct to four decimal places. (14 marks)
4. (a) Solve the differential equation: $\frac{dy}{dx} + 8y = e^x$ given that $y = 4$ when $x = 0$. (6 marks)
- (b) Find the coordinates of the centroid of the area bounded by the curve $y = 3x^2$ and $x = 0$ and $x = 4$. (6 marks)
- (c) Solve the hyperbolic equation:
- $$2 \text{Cosh} x + \text{Sin} x = 2.$$
- (8 marks)

$$u = 3j$$

$$\sqrt{z^2} = \sqrt{4 - 3j}$$

$$y = 3x^2$$

$$6x$$



SECTION B: SURVEYING II

Answer at least **TWO** questions from this section.

5. (a) Using illustrations explain each of the following:
- (i) **three** types of traverse; *close, open, ray trace*
 - (ii) horizontal angles.
- (18 marks)
- (b) List the quantities measured during traversing. (2 marks)
6. **Figure 1** represents a playing field ABCD and **table 1** contains the coordinates of the corners. Using the information provided compute:
- (a) the bearings and distances of the sides of the playing field hence, the perimeter.
 - (b) the area of the playing field in hectares.
- (20 marks)




Fig. 1



Table 1

Point	Northing (m)	Easting (m)
A	13909.45	25993.99
B	14644.78	27276.12
C	14211.05	27524.87
D	13475.72	26242.74

7. The following observations were obtained during traversing. The traverse started at F_2 through T_1, T_2, T_3 closing at M_3 . Prepare a bearing sheet given the datum bearings in table 2. (20 marks)

@ F_2		@ T_1	
F_2	321° 37' 36"	F_3	205° 44' 53"
T_1	25° 45' 33"	T_2	112° 07' 39"
F_1	232° 10' 32"		

@ T_2		@ T_3	
T_1	292° 08' 32"	T_2	348° 48' 49"
T_3	168° 48' 41"	M_3	54° 50' 31"

@ M_3	
T_3	234° 49' 57"
M_1	292° 33' 43"
H	354° 49' 17"

observed station	observed bearing	correction	corrected bearing	final correction	final corrected bearing

Table 2: Datum bearings

Line	Bearings
F3 - F2	321° 38' 19"
F3 - F1	232° 09' 49"
M3 - M1	292° 34' 20"
M3 - H	354° 48' 16"

8. Table 3 shows values reduced from a traverse observations. Compute the final coordinates of point P1, P2, P3 and P4 given the coordinates of point T is 9372.98 m (N), 3854.28 m (E). Use Bowditch method to adjust the coordinates. (20 marks)

Table 3

Line	Distances (m)	Bearings		
T - P ₁	155.00	100°	15'	20"
P ₁ - P ₂	200.00	40°	41'	20"
P ₂ - P ₃	249.00	10°	15'	20"
P ₃ - P ₄	190.00	285°	57'	20"
P ₄ - T	445.40	198°	56'	30"

0.02×155.00
3.190

Line bearing distance	Proposed co-ordinates	correction	Adjusted co-ordinates	Station
ΔE ΔN	ΔE ΔN	ΔE ΔN	ΔE (m) ΔN (m)	
2705/201	2709/201		4	
2707/201	2710/201			

June/July 2019



THIS IS THE LAST PRINTED PAGE.

200° 01' 10"